

# Material Safety Data Sheet

Page 1 of 4

## Section 1 Product Identification

Product Name: **Super Duty Powdered Parts Wash**

Formula type: Alkaline detergent powder

### Supplied By:

NOCO Lubricants  
2440 Sheridan Drive  
Tonawanda, NY 14150  
Date of Preparation: 3-8-2005

Emergency: 800-424-9300  
Information: 800-500-6626  
Fax: 800-891-6626

## Section 2 Hazardous Ingredients

<u>Chemical Name</u>	<u>CAS#</u>	<u>%</u>	<u>Threshold Limit Value (TLV)</u>	<u>Permissible Exposure Limit (PEL)</u>
Sodium hydroxide	1310-73-2	70-80	2mg/m <sup>3</sup> dust	2mg/m <sup>3</sup> dust
Sodium carbonate	497-19-8	10-20	NE	NE
Sodium metasilicate	6834-92-0	10-20	2mg/m <sup>3</sup> dust	2mg/m <sup>3</sup> dust

## Section 3 Physical Data

Form: Powder  
Color: White  
Odor: None  
Specific Gravity = NA  
Boiling Point °F: NA  
Evaporation Rate (n-Butyl acetate = 1): NA

pH (1%): 12.8 - 13.8  
Solubility in Water: Moderate  
Vapor Density (Air = 1): NA  
% VOC: 0  
Vapor pressure: NA

## Section 4 Fire and Explosion Information

**Flash Point (Method) F:** NA

**Unusual Fire and Explosion Hazards:** Mixing with water can create explosive heat. When wet, contact with metal can form hydrogen gas that is flammable and can form explosive mixtures with air.

**Extinguishing Agents:** NA

**Fire fighting methods:** Use methods appropriate for the primary source of the fire. Wear full protective gear and self contained breathing apparatus

## Section 5 Health Hazard Data – Signs and Symptoms of Overexposure:

Probable Routes of Entry: Eyes, skin, inhalation

Overview: Poison. Danger. Corrosive. May be fatal if swallowed. Harmful if inhaled. Causes burns.

- Eyes:** Direct contact will cause severe irritation and burns if not properly treated. Effects range from severe to irreversible damage and blindness depending upon length of exposure, solution concentration and first aid measures.
- Skin:** This product contains materials that can cause severe skin irritation or burns. Prolonged or repeated contact will result in burns and irreversible damage. Prolonged exposure to diluted product can cause burns.
- Inhalation:** Overexposure by inhalation of dust may lead severe irritation or burns in respiratory tract, producing a burning, choking sensation. Caution should be taken to prevent dusting of this product without proper respiratory protection.

Ingestion: Ingestion is not expected to be a primary route of exposure. Corrosive. Do not ingest. Material will cause severe burns in mouth, throat and stomach. Damage may appear days after exposure. Note: Aspiration is a secondary hazard and should be expected. Product will attack lining of esophagus and stomach.

Chronic Exposure: Prolonged contact with dilute solutions or dust has a destructive effect upon tissue.

Aggravation of pre-existing conditions: Pre-existing skin disorder or eye problems or impaired respiratory function are aggravated.

**Section 6 Emergency First Aid Procedures**

Eyes: Check for and remove contact lenses. Flush immediately with copious amounts of water for 15 minutes while holding eyelids apart to ensure complete irrigation of eye and eyelid tissues. Take exposed individual immediately to a health care professional, preferably an ophthalmologist, for emergency first aid and further evaluation.

Skin: Remove contaminated clothing. Immediately wash exposed area with copious amounts of water. Repeat washing. If redness or irritation occurs, seek immediate medical attention. Launder contaminated clothing before reuse.

Inhalation: If exposure by inhalation is suspected, immediately move exposed individual to fresh air. If individual experiences nausea, headache, dizziness, has difficulty breathing or is cyanotic, seek a health care professional immediately. Administer CPR if necessary.

Ingestion: Drink 1-2 large glasses of milk or water. Obtain immediate medical aid or call poison control. Do not induce vomiting unless directed by a physician. During vomiting there is a danger of aspirating liquid into lungs, causing serious damage and chemical pneumonitis. If spontaneous vomiting occurs, keep head below hips to prevent aspiration and monitor for breathing difficulty. Gastric lavage should be performed only by qualified medical personnel. Keep affected person warm and at rest. Seek immediate medical attention or call 911.

**Section 7 Reactivity Data**

Stability: Stable at room temperature (68F) when stored and used under proper conditions.

Incompatibility: Avoid contact with acids and oxidizing materials. When wet, contact with metals can form flammable hydrogen gas.

Hazardous Decomposition Products: Carbon dioxide, carbon monoxide

Hazardous Polymerization: Will not occur.

**Section 8 Spill & Leak Procedures**

Procedures for Cleanup: Wear protective gear. Small spills: Sweep up and rinse with water.

Large Spills: Evacuate area. Block potential routes to water systems (sewers, streams, etc.) with inert material such as sand or dirt. Salvage for reuse if possible. Place into disposal containers. Wash down affected areas with clear water. RCRA regulated. Call local Emergency Response agency to report spill.

Waste Disposal: Contact the proper county, state or federal authorities. RCRA regulated.

**Section 9 Special Protection Information**

Ventilation Type Required: Use adequate ventilation when working with material in an enclosed area. Mechanical methods such as fume hoods or area fans may be used to reduce localized dust areas. If dust is generated when the material handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure.

Eye Protection: Eye protection must be worn. Wear safety glasses with side shields or vented splash proof goggles and face shield

- Protective Gloves: Impervious gloves such as neoprene or nitrile rubber to avoid skin sensitization and contact.
- Respiratory Protection: Wear an MSHA/NIOSH approved half mask form dust/mist air purifying respirator.
- Other Equipment: Eyewash stations and showers should be available in areas where this material is used and stored. Rubber apron and boots.

**Section 10 Special Precautions**

Add very slowly to water – product generates explosive amounts of heat if mixed too quickly with water. Product should be stored between 40 and 95°F. Store out of direct sunlight. Keep out of reach of children. Keep container closed when not in use. For industrial and institutional use only. Mix only with water. Thoroughly rinse empty containers before disposal. Use only in well ventilated area. Do not breathe dust. Wash hands thoroughly after handling.

**Section 11 Toxicity Data**

Carcinogenicity: NTP: No IARC: No OSHA: No  
 Toxic. Hazardous. Causes burns.

**Section 12 HMIS Hazard Rating**

0 = Minimal 1 = Slight 2= Moderate 3= Serious 4= Severe  
 Health: 3 Reactivity: 2 Fire: 0 Special: personal protection: see above

**Section 13 Regulatory**

	<b>TSCA</b>	<b>Canada DSL</b>	<b>Canada NDSL</b>	<b>SARA 302 RQ / TPQ</b>	<b>SARA 313</b>	<b>CERCLA RQ</b>	<b>RCRA Code</b>
Sodium Hydroxide	Yes	Yes	No	No / no	No	1000 lbs	None
Sodium Metasilicate	Yes	Yes	No	No / no	No	No	None
Sodium Carbonate	Yes	Yes	No	No / no	No	No	None

	<b>Acute</b>	<b>Chronic</b>	<b>Fire</b>	<b>Pressure</b>	<b>Reactivity</b>
Sodium Hydroxide	Yes	Yes	No	No	Yes
Sodium Metasilicate	Yes	Yes	No	No	No
Sodium Carbonate	Yes	No	No	No	No

**Section 14 Ecological Information**

Sodium hydroxide: no information found  
 Sodium metasilicate: no information found  
 Sodium carbonate: no information found

**Section 15 Shipping Information**

Corrosive solid, basic, inorganic, n.o.s., (sodium hydroxide, sodium metasilicate pentahydrate), 8, UN3262, PGII

**Section 16 Documentary Information**

Date issued: 3-8-2005 Supercedes: Reason for update:

**Section 17 Other Information**

**ABBREVIATIONS:** NA = NOT APPLICABLE      NDA = NO DATA AVAILABLE  
                         > = GREATER THAN      <=LESS THAN      ND= NOT DETERMINED

The data and recommendations presented herein are based upon our research and the research of others, and are believed to be accurate. However, no warranty of guarantee of their accuracy is made; and the products are distributed without any warranty, expressed or implied, including the limited warranties of merchantability of fitness for a particular purpose. The supplier makes no warranties, expressed or implied to the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, adequacy or furnishing of such information. Employers should use this information only as a supplement to other information and must make independent determinations of suitability to assure proper use, safety, and health of employees.